



# GENERAL REQUIREMENTS FOR CAR PARKING

AS2890.6 — 2009 EDITION

—  
COPYRIGHT GRIMBOS BUILDING SURVEYORS

**GRIMBOS**  
BUILDING SURVEYORS

LEVEL 1 SUITE 1  
397 SMITH STREET  
FITZROY 3065

PHONE: +61 3 9419 7000  
FAX: +61 3 9419 9007

INFO@GRIMBOS.COM.AU  
GRIMBOS.COM.AU

ABN: 805 912 38414


## PARKING SPACES

### ANGLE PARKING

- Dedicated Space – 2400mm x 5400mm (additional shared area of 2400mm x 2400mm at either end)
- Shared Space – 2400mm x 5400mm (required on one side of the dedicated space)
- Headroom Height – 2500mm minimum

### BOLLARD

- Location – 800 ± 50 from entry (measured from parking line)
- Centre of Space – 1200mm (based on 2400mm parking space)





### PARALLEL PARKING

- Dedicated Space – 3200mm x 7800mm
- Shared Space – 1600mm x 7800mm (required on one side of the dedicated space)
- Headroom Height – 2500mm minimum

### IDENTIFICATION/SIGNAGE

- Symbol Height – 800 to 1000mm (white symbol on blue background)
- Dimensions – 1200mm x 1200mm
- Location – 500 to 600mm (measured from parking line)
- Shared Space – 80 to 100mm wide unbroken yellow lines





**GRIMBOS**  
BUILDING SURVEYORS

LEVEL 1 SUITE 1  
397 SMITH STREET  
FITZROY 3065

PHONE: +61 3 9419 7000  
FAX: +61 3 9419 9007

INFO@GRIMBOS.COM.AU  
GRIMBOS.COM.AU

ABN: 805 912 38414